

#### Rubber base nr.12 shimmer

# Page 1

#### 1. Product

**Product Name:** Rubber base nr.12 shimmer

# 2. Hazards Identification

#### 2.1. Classification of the substance or mixture

Classifcation under CLP: Aquatic Chronic 3: H412; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317;

STOT SE 3: H335

Most important adverse effects: Irritating to eyes, respiratory system and skin. May cause sensitization by skin

contact. Harmful to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

2.2. Label elements

Label elements under CLP:

**Hazard Statements:** H315: Causes skin irritation.

> H317: May cause an allergic skin reaction. H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Signal words: Warning

**Hazard pictograms:** 





**Precautionary statements:** P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P337+P313: If eye irritation persists: Get medical advice/attention.

P321: Specific treatment (see on this label).

Other: For professional use only.

Read directions for use carefully Avoid

contact with skin.

2.3. Other hazards

Other hazards: May cause sensitization by skin contact.



## Rubber base nr.12 shimmer

## Page 2

**PBT:** This substance is not identified as a PBT substance.

# 3. Composition / Information on Ingredients

Substance/mixture: Mixture

Ingredients	Concentration Range		
Urethane Acrylates Oligomer	50-75 %		
Hydroxypropyl Methacrylate	10-25 %		
Epoxy Methacrylate	10-25%		
Trimethylhexyl Dicarbamate	5-10 %		
Methy Benzoylformate	1-5 %		
p-Hydroxyanisole	< 0,02 %		

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence reporting in this section.

# Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

#### 4. First Aid Measures



#### Rubber base nr.12 shimmer

# Page 3

# 4.1. Description of first aid measures

**Eye Contact:** Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Get medical attention.

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

not breathing, if breathing is irregular of respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist of are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such

as a collar, tie, belt or waistband.

**Skin contact:** Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash

contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean

shoes thoroughly before reuse.

**Ingestion:** Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and

keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious

person. If unconscious, place in recovery position and get medical attention

immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt

or waistband.

**Protection of first-aiders:** No action shall be taken involving any personal risk or without suitable training. It

may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear

gloves.

## 4.2 Most important symptoms and effects, both acute and delayed

Potential acute health effects

**Eye contact:** Causes serious eye irritation

**Inhalation:** No known significant effects or critical hazards.



#### Rubber base nr.12 shimmer

## Page 4

**Skin contact:** Causes skin irritation. May cause an allergic skin reaction. **Ingestion:** 

No known significant effects or critical hazards.

Over-exposure signs/symptoms

**Eye contact:** Adverse symptoms may include the following:

pain or irritation watering redness

Inhalation: Skin contact: Ingestion:

4.3 Indication of any immediate medical attention and special treatment needed

**Notes to physician:** Treat symptomatically. Contract poison treatment specialist immediately if large

quantities have been ingested of inhaled.

**Specific treatments:** No specific treatment.

# 5. Fire Fighting Measures

#### 5.1. Extinguishing media

**Suitable extinguishing** 

media:

Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media: None known

5.2. Special hazards arising from the substance or mixture

Hazards from the

**substance or mix:** In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal

**Decomposition products:** Decomposition products may include the following materials:

carbon dioxide carbon monoxide

5.3. Advice for fire-fighters Special

protective actions

**for fire-fighters:** Promptly isolate the scene by removing all persons from the vicinity of the

incident if there is a fire. No action shall be taken involving any personal risk

or without suitable training.

Special protective equipment

for fire-fighters: Fire-fighters should wear appropriate protective equipment and selfcontained

breathing apparatus (SCBA) with a full face-piece operated in positive

pressure mode. Clothing for fire-fighters (including helmets, protective boots



#### Rubber base nr.12 shimmer

# Page 5

and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

# 6. Accidental Release Measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training.

Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is

inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any

information in Section 8 on suitable and unsuitable materials. See also the

information in "For non-emergency personnel".

**6.2 Environmental precautions:** Avoid dispersal of spilled material and runoff and contract with soil, waterways,

drains and sewers. Inform the relevant authorities if the product has caused

environmental pollution (sewers, waterways, soil or air).

#### 6.3 Methods and materials for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop

up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a

licensed waste disposal contractor

Large spill: Stop leak if without risk. Move containers from spill area. Approach release from

upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and

collect spillage with non-combustible, absorbent material e.g. sand, earth,

vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated

absorbent material may pose the same hazard as the spilled product.

**6.4 Reference to other sections:** See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See section 13 for additional waste treatment information.

# 7. Handling and Storage

The information in this section contains generic and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).



#### Rubber base nr.12 shimmer

# Page 6

# 7.1. Precautions for safe handling

**Protective measures:** Put on appropriate personal protective equipment (see Section 8 ). Persons with a

history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

## 7.2 Conditions for safe storage, including any incompatibilities

Shield UV light sources. Do not store above the following temperature: 38°C (100.4°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed an sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

**Recommendations**: Not available. **Industrial** 

sector

**specific solutions:** Not available.

# 8. Exposure Controls / Personal Protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

## 8.1. Control parameters

Occupational exposure limits: No exposure limit value known

Recommended monitoring

**procedures:** If this product contains ingredients with exposure limits, personal, workplace

atmosphere or biological monitoring may be required to determine the effectiveness



#### Rubber base nr.12 shimmer

## Page 7

of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres – Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

## **DNELs/DMELs**

No DNELs/DMELs available.

#### **PNECs**

No PNECs available.

# 8.2. Exposure controls Appropriate engineering controls:

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

## **Individual protection measures**

Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection:** 

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

# **Skin protection**



#### Rubber base nr.12 shimmer

## Page 8

Hand protection: Chemical-resistant, impervious gloves complying with an approved standard should

be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

**Body protection:** Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist

before handling this product.

**Other skin protection:** Appropriate footwear and any additional skin protection measures should be

selected based on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

**Respiratory protection:** Based on the hazard and potential for exposure, select a respirator that meets the

appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other

important aspects of use.

**Environmental exposure** 

**controls:** Emissions from ventilation or work process equipment should be checked to ensure

they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment

will be necessary to reduce emissions to acceptable levels.

## 9. Physical and Chemical Properties

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid. [Gel]
Colour: Clear. [Light]

Odour: Characteristic acrylate odor [Slight]

**Boiling Point:**Not available **Freezing Point:**Not available

Flash Point: Closed cup: >93.3°C

Vapor Pressure:Not availableVapor density:Not availableRelative density:Not availableAuto-ignition temperature:Not availableDecomposition temperature:Not available



# Material Safety Data Sheet Rubber base nr.12 shimmer

Page 9

Viscosity: Not available

**Explosive properties:** Highly explosive in the presence of the following materials or conditions:

open flames, sparks and static discharge and heat.

9.2 Other information

No additional information.

# 10. Stability and Reactivity

**10.1. Reactivity:** No specific test data related to reactivity available for this product or its

ingredients.

**10.2.** Chemical stability: The product is stable

10.3. Possibility of hazardous reactions: Hazardous polymerization may occur under certain conditions of storage or

use. These could cause the product to polymerize exothermically.

Unintentional contact with them should be avoided.

**10.4. Conditions to avoid:** No specific data

**10.5.** Incompatible materials: No specific data

10.6. Hazardous decomposition

products: Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

# 11. Toxicological Information

# 11.1. Information on toxicological effects

Acute toxicity estimates Not available.

Information on the likely

**Routes of exposure:** Not available.

Potential acute health effects

**Eye contact:** Causes serious eye irritation.

**Inhalation:** No known significant effects or critical hazards.

**Skin contact:** Causes skin irritation. May cause an allergic skin reaction. **Ingestion:** 

No known significant effects or critical hazards.



Rubber base nr.12 shimmer

## Page 10

## Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact**: Adverse symptoms may include the following:

pain or irritation watering redness Inhalation:

Skin contact: Ingestion:

# Delayed and immediate effects and also chronic effects from short and long term exposure Short

term exposure

Potential immediate effects: Not available. Potential

**delayed effects:** Not available.

Long term exposure

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Potential chronic health effects Not available.

**General:** Once sensitized, a serve allergic reaction may occur when subsequently exposed

to very low levels.

Carcinogenicity:

No known significant effects or critical hazards.

**Other information:** Not available.

# 12. Ecological Information

# 12.3 Bio accumulative potential

Product/ingredient name	LogPow	BCF	Potential
Isobornyl methacrylate TPO	5.09	-	high low
	-	53 to 72	

12.4 Mobility in soil

Soil/water partition

Coefficient (Koc): Not available Mobility: Not available

12.5 Results of PBT and vPvB assessment

PBT: Not applicable vPvB:

Not applicable



Rubber base nr.12 shimmer

Page 11

**12.6 Other adverse effects**: No known significant effects or critical hazards.

# 13. Disposal Considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

## 13.1. Waste treatment methods Product

Methods of disposal: The generation of waste should be avoided or minimized wherever

possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant

with the requirements of all authorities with jurisdiction.

**Hazardous waste:** The classification of the product may meet the criteria for a hazardous waste.

**Packaging** 

**Methods of disposal:** The generation of waste should be avoided or minimized wherever possible.

Waste packaging should be recycled. Incineration and landfill should only be

considered when recycling is not feasible.

**Special precautions:** This material and its container must be disposed of in a safe way. Care should be

taken when handling emptied containers that have not been cleaned or rinsed

# **Page**

out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# 14. Transport Information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not available.	Not available.	Not available.	Not available.
14.2 UN proper shipping name	Not available.	Not available.	Not available.	Not available.
14.3 Transport hazard class(es)	Not available.	Not available.	Not available.	Not available.
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

# 14.6 Special precautions for

user: Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to

do in the event of an accident or spillage.

14.7 Transport in bulk according

to Annex II of

**MARPOL and the IBC Code:** Not available.

# 15. Regulatory Information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU Regulation (EC) NO. 1907/2006 (REACH):

Annex XIV: None of the components are listed.

Annex XVII: Not applicable

Other EU Regulations:

Europe Inventory: All components are listed or exempted.

-